

# DS500-QD


## Quick Dissolve Dust Suppression Block

### Safety Data Sheet

**Section 1 – Statement of Chemical Product and Company Identification**

Product Name:	DS500-QD		
Supplier:	Extreme Mining and Construction		
Address:	Mannering Park NSW 2259		
Telephone:	0474 055 223	Email:	troy@exmc.com.au
Emergency Phone:		Website:	www.exmc.com.au
Substance:	Solid block	Product Use:	Dust suppression – Use as per the directions on the product label
Creation Date:	October 2019	Revision Date:	October 2024

**Section 2 – Hazards Identification**

Classification	Product AS SOLD (Solid Block)	Product at USE DILUTION (2 blocks per 1,000L of water)
ADG Code	NOT classified as Dangerous Goods	NOT classified as Dangerous Goods
Poisons Schedule	Not scheduled	Not scheduled
Label Elements		
	Product AS SOLD (Solid Block)	Product at USE DILUTION (2 blocks per 1,000L of water)
GHS Classification	Eye Irritation Category 2A Acute Toxicity Category 4	None allocated
GHS Label Pictograms	 GHS07	None allocated
Signal Word	<b>WARNING</b>	None allocated
Hazard Statement(s)	Product AS SOLD (Solid Block)	Product at USE DILUTION (2 blocks per 1,000L of water)
	H319 Causes serious eye irritation.	None allocated
	H302 Harmful if swallowed.	None allocated

**Precautionary Statement(s): General**

	Product AS SOLD (Solid Block)	Product at USE DILUTION (2 blocks per 1,000L of water)
P102	Keep out of reach of children.	None allocated
P103	Read label before use.	

**Precautionary Statement(s): Prevention**

	Product AS SOLD (Solid Block)	Product at USE DILUTION (2 blocks per 1,000L of water)
P264	Wash skin thoroughly after handling.	None allocated
P280	Wear eye protection/face protection.	
P270	Do not eat, drink or smoke when using this product.	

**Precautionary Statement(s): Response**

	Product AS SOLD (Solid Block)	Product at USE DILUTION (2 blocks per 1,000L of water)
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	None allocated
P337 + P313	If eye irritation persists: Get medical advice/attention.	

# DS500-QD

## Quick Dissolve Dust Suppression Block

### Safety Data Sheet

P301+P310+P330	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth.	
<b>Precautionary Statement(s): Storage</b>		
	Product AS SOLD (Solid Block)	Product at USE DILUTION (2 blocks per 1,000L of water)
	None allocated	None allocated
<b>Precautionary Statement(s): Disposal</b>		
	Product AS SOLD (Solid Block)	Product at USE DILUTION (2 blocks per 1,000L of water)
P501	Dispose of contents/ container in accordance with local regulations.	None allocated

<b>IMPORTANT</b>	This SDS and the Hazard Classifications contained therein, only apply to the product in its concentrated form, as supplied. When diluted to 1:10 or greater they no longer apply. However, good hygiene and housekeeping practices should be adhered to.
------------------	--

### Section 3 – Composition and Information on Ingredients

Ingredients:	CAS Number:	Proportion:
Fatty acid C12-18, methyl ester sulfonated, sodium salts	4016-24-4 & 4062-78-6	10 - 30% w/w
Amides, C8-18 and C18-unsatd., N-(hydroxyethyl)	69227-24-3	< 10% w/w
Ingredients determined to be non-hazardous at the concentrations present.	various	balance

NOTE: Ingredients determined not to be hazardous are present in concentrations that do not exceed the relevant cut-off concentrations as found from NOHSC publication "List of Designated Hazardous Substances" or have been found NOT to meet the criteria of a hazardous substance as defined in the NOHSC publication "Approved Criteria for Classifying Hazardous Substances", or have been found NOT to meet the criteria of a dangerous substance as defined in the GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS), 4th edition United Nations 2011. Listed ingredients may be below the cut-off concentrations for classification as hazardous, but are listed for information purposes and for additive effects.

### Section 4 – First Aid Measures

<b>Inhalation</b>	Remove victim to fresh air away from exposure. Obtain medical attention if symptoms occur.
<b>Skin Contact</b>	Immediately wash contaminated skin with plenty of soap and water. Remove contaminated clothing and wash before re-use. Seek medical advice (e.g. doctor) if irritation, burning or redness persists.
<b>Eye Contact</b>	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If symptoms persist, seek medical attention.
<b>Ingestion</b>	Do NOT induce vomiting. Do NOT attempt to give anything by mouth to an unconscious person. Rinse mouth thoroughly with water immediately. Give water to drink. If vomiting occurs, give further water to achieve effective dilution. Seek medical advice (e.g. doctor).
<b>Advice to Doctor</b>	Treat symptomatically.
<b>Scheduled Poisons</b>	Poisons Information Centre in each Australian State capital city or in Christchurch, New Zealand can provide additional assistance for scheduled poisons. (Phone Australia 131126 or New Zealand 0800 764 766).
<b>First Aid Facilities</b>	Eye wash station. Normal washroom facilities.

# DS500-QD



## Quick Dissolve Dust Suppression Block

### Safety Data Sheet

Section 5 – Fire Fighting Measures	
Fire and Explosion Hazards	Non-flammable solid.
Extinguishing Media	Use an extinguishing media suitable for surrounding fires.
Fire Fighting	Keep containers exposed to extreme heat cool with water spray. Fire fighters to wear self-contained breathing apparatus if risk of exposure to products of combustion or decomposition.
Flash Point	None


Section 6 – Accidental Release Measures	
Emergency Procedures	Minor spills do not normally need any special clean-up measures – rinse with water. In the event of a major spill, prevent spillage from entering drains or water courses. Wear appropriate personal protective equipment and clothing to prevent exposure. Contain the spill. Place inert absorbent material onto spillage. Collect/shovel the material and place into a suitable labelled container. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

Section 7 – Handling and Storage	
Handling	Avoid skin or eye contact with concentrate. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered. Launder contaminated clothing before re-use.
Storage	Store in a cool, dry, well-ventilated area, out of direct sunlight. Protect from freezing. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

Section 8 – Exposure Controls and Personal Protection	
Exposure Limits	National Occupational Exposure Limits, as published by National Occupational Health & Safety Commission: <b>Time-weighted Average (TWA):</b> None established for product. <b>Short Term Exposure Limit (STEL):</b> None established for product.
Ventilation	No special requirements.
Personal Protective Equipment	Use good occupational work practice. The use of protective clothing and equipment depends upon the degree and nature of exposure. The following protective equipment should be available;
Eye Protection 	Generally not required for typical applications with diluted solutions as per label directions. Safety glasses should be used for handling concentrate in quantity, cleaning up spills, decanting, etc. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
Hand Protection 	Generally not required for typical applications with diluted solutions as per label directions. Wear gloves of impervious material such as butyl rubber, natural latex, neoprene, PVC and nitrile – to handle in quantity, clean up spills, decanting, etc. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

**DS500-QD****Quick Dissolve Dust Suppression Block**

## Safety Data Sheet

<b>Body Protection</b> 	Suitable protective workwear, e.g. rubber or plastic apron, sleeves, boots and cotton overalls buttoned at neck and wrist are recommended. Chemical resistant apron is recommended where large quantities are handled.
<b>Respirator</b>	Not required for typical applications.

**Section 9 – Physical and Chemical Properties**

<b>Physical State</b>	Solid bar	<b>Colour</b>	Cream/white
<b>Odour</b>	Nil	<b>Specific Gravity</b>	Not available
<b>Boiling Point</b>	Not available	<b>Freezing Point</b>	Not available
<b>Vapour Pressure</b>	Not available	<b>Vapour Density</b>	Not available
<b>Flash Point</b>	Not flammable	<b>Flammable Limits</b>	none
<b>Water Solubility</b>	Miscible in all proportions	<b>pH</b>	6.0 – 8.0 @ 1% solution
<b>Volatile Organic Compounds (VOC)</b>	0 % v/v	<b>Per Cent Volatile</b>	Not available
<b>Viscosity</b>	Not available	<b>Odour Threshold</b>	Not available

**Section 10 – Stability and Reactivity**

<b>Reactivity</b>	Stable at normal temperatures and pressure.
<b>Conditions to Avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatibilities</b>	Reducing agents, oxidizing agents.
<b>Hazardous Decomposition</b>	Thermal decomposition may result in the release of toxic and/or irritating fumes.

**Section 11 – Toxicological Information**

<b>POTENTIAL HEALTH EFFECTS</b>	
No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:	
<b>Inhalation</b>	Not considered to be an inhalation hazard.
<b>Skin Contact</b>	Properly diluted solutions not expected to be irritating to skin. Prolonged contact with concentrate may be irritating to skin. The symptoms may include redness, itching and swelling.
<b>Eye Contact</b>	Concentrated product causes eye irritation. Eye contact with concentrate will cause stinging, blurring, tearing.
<b>Ingestion</b>	Ingestion of this product may irritate the gastric tract causing nausea and vomiting. Harmful if swallowed.
<b>Chronic Exposure</b>	No known effects.
<b>Toxicology Information</b>	Acute Toxicity Category 4 – Harmful if swallowed. Based on ingredients. Oral LD50 (ATE calculated): 1750 - 2000 mg/kg
<b>Carcinogen Status</b>	
<b>NOHSC</b>	No significant ingredient is classified as carcinogenic by NOHSC.
<b>NTP</b>	No significant ingredient is classified as carcinogenic by NTP.
<b>IARC</b>	No significant ingredient is classified as carcinogenic by IARC.
<b>Respiratory Sensitisation</b>	Not expected to be a respiratory sensitizer.
<b>Skin Sensitisation</b>	Not expected to be a skin sensitizer.
<b>Germ Cell Mutagenicity</b>	Not considered to be a mutagenic hazard.
<b>Reproductive Toxicity</b>	Not considered to be toxic to reproduction.
<b>STOT-Single Exposure</b>	Not expected to cause toxicity to a specific target organ.
<b>STOT-Repeated Exposure</b>	Not expected to cause toxicity to a specific target organ.

# DS500-QD

## Quick Dissolve Dust Suppression Block

### Safety Data Sheet

Aspiration Hazard	Not expected to be an aspiration hazard.
-------------------	--

#### Section 12 – Ecological Information

Acute Aquatic Toxicity	Product AS SOLD (Solid Block)	Product at USE DILUTION (2 blocks per 1,000L of water)
	Acute aquatic toxicity Category 2. H401- Toxic to aquatic life. Acute Aquatic Toxicity (ATE Calculated) LC50: 4.2 – 16.3 mg/L.	Not harmful to aquatic life. LC50 > 100mg/L. Acute Aquatic Toxicity (ATE Calculated) LC50: 3,500 – 13,580 mg/L. Acute Aquatic Toxicity NOT HAZARDOUS
Persistence and Degradability	Biodegradable, based on ingredients.	
Bio Accumulative Potential	No bioaccumulation is expected.	
Mobility in Soil	Due to its physico-chemical characteristics, highly mobile in the environment and will partition to the aquatic compartment.	
Other Adverse Effects	Not available	
Environmental Protection	Do not discharge this material in bulk quantities into waterways.	

#### Section 13 – Disposal Considerations

	Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.
--	---

#### Section 14 – Transport Information

Labels Required	
ADG	Not classified as Dangerous Goods.
IMDG Marine Pollutant	No
HAZCHEM	None allocated.
Land Transport (ADG)	
UN Number	None allocated.
ADG Code	None allocated.
HAZCHEM Code	None allocated.
Special Provisions	None allocated.
Packing Group	None allocated.
Packaging Method	None allocated.
Segregation	None allocated.

#### Section 15 – Regulatory Information

GHS Classification	Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.
SUSMP	Not scheduled
ADG Code	Not DG
AICS	All ingredients present on AICS.

#### Section 16 – Other Information

Prepared By	Gary Spradbrow, Chief Chemist, GL.Consulting.Aus
Issue Date	10 October 2019
Version Number	V 2.0

# DS500-QD

## Quick Dissolve Dust Suppression Block

### Safety Data Sheet

Revision Notes	Brand and product name change
Abbreviations and Acronyms	<p><b>ADG Code:</b> Australian Code for the Transport of Dangerous Goods by Road and Rail.</p> <p><b>AICS:</b> Australian Inventory of Chemical Substances.</p> <p><b>CAS Number:</b> Chemical Abstracts Service Registry Number.</p> <p><b>GHS:</b> Globally Harmonized System of Classification and Labelling of Chemicals</p> <p><b>HAZCHEM:</b> An emergency action code of numbers and letters which gives information to emergency services.</p> <p><b>HSIS:</b> Hazardous Substances Information System</p> <p><b>IARC:</b> International Agency for Research on Cancer.</p> <p><b>NOHSC:</b> National Occupational Health and Safety Commission.</p> <p><b>NTP:</b> National Toxicology Program (USA).</p> <p><b>SDS:</b> Safety Data Sheet</p> <p><b>STEL:</b> Short Term Exposure Limit.</p> <p><b>SUSMP:</b> Standard for the Uniform Scheduling of Medicines and Poisons.</p> <p><b>TWA:</b> Time Weighted Average.</p> <p><b>UN Number:</b> United Nations Number.</p>
Literature References	<ul style="list-style-type: none"><li>• Preparation of Safety Data Sheets for Hazardous Chemicals – Code of Practice (Safe Work Australia)</li><li>• GHS Hazardous Chemical Information List (Safe Work Australia)</li><li>• Guidance on the Classification of Hazardous Chemicals under the WHS Regulations. Safe Work Australia.</li><li>• Global Harmonized System of Classification and Labelling of Chemicals</li><li>• “Australian Exposure Standards”</li><li>• Australian Code For The Transport Of Dangerous Goods By Road And Rail</li><li>• Standard for the Uniform Scheduling of Medicines and Poisons</li><li>• Material Safety Data Sheets – individual raw materials – Suppliers.</li><li>• Approved Criteria for Classifying Hazardous Substances NOHSC:1008(1999)]</li><li>• Hazardous Substance Information System – National Worksafe Data Base.</li><li>• Hazardous Chemical Information System (HCIS).</li><li>• Implementation of the globally harmonised system of classification and labelling of chemicals (GHS).</li><li>• ECHA (European Chemicals Agency)</li></ul>
Disclaimer	<p>The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type.</p> <p>The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user’s end product, if applicable.</p> <p>TBC Distribution assumes no liability or responsibility for loss or damage resulting from improper use or handling of our products from incompatible product combinations or from failure to follow usage directions. This document remains the property of TBC Distribution. Alterations are not permitted without prior written authorisation from TBC Distribution.</p>

End of SDS